




- | | | | | | | |
|---|---|--|---|--|--|--|
| ■ 12 14
Art. 8001-025E mm 700 h
Art. 8001-125E mm 1000 h
Art. 8001-225E mm 1200 h | ■ 12 14
Art. 8003-025E mm 700 h
Art. 8003-125E mm 1000 h
Art. 8003-225E mm 1200 h | ■ 12 14
Art. 8003-025BE mm 700 h
Art. 8003-125BE mm 1000 h
Art. 8003-225BE mm 1200 h | ● 12 14
Art. 8003-045E mm 700 h
Art. 8003-145E mm 1000 h
Art. 8003-245E mm 1200 h | ■ 12 14
Art. 8004-025E mm 700 h
Art. 8004-125E mm 1000 h
Art. 8004-225E mm 1200 h
Art. 8004-525E mm 1500 h | ■ 12 14
Art. 8005-025E mm 700 h
Art. 8005-125E mm 1000 h
Art. 8005-225E mm 1200 h
Art. 8005-525E mm 1500 h | ■ 12 14
Art. 8005-025BE mm 700 h
Art. 8005-125BE mm 1000 h
Art. 8005-225BE mm 1200 h
Art. 8005-525BE mm 1500 h |
| ■ 14 16
Art. 8001-026E mm 700 h
Art. 8001-126E mm 1000 h
Art. 8001-226E mm 1200 h | ■ 14 16
Art. 8003-026E mm 700 h
Art. 8003-126E mm 1000 h
Art. 8003-226E mm 1200 h | ■ 14 16
Art. 8003-026BE mm 700 h
Art. 8003-126BE mm 1000 h
Art. 8003-226BE mm 1200 h | ● 14 16
Art. 8003-046E mm 700 h
Art. 8003-146E mm 1000 h
Art. 8003-246E mm 1200 h | ■ 14 16
Art. 8004-026E mm 700 h
Art. 8004-126E mm 1000 h
Art. 8004-226E mm 1200 h
Art. 8004-526E mm 1500 h | ■ 14 16
Art. 8005-026E mm 700 h
Art. 8005-126E mm 1000 h
Art. 8005-226E mm 1200 h
Art. 8005-526E mm 1500 h | ■ 14 16
Art. 8005-026BE mm 700 h
Art. 8005-126BE mm 1000 h
Art. 8005-226BE mm 1200 h
Art. 8005-526BE mm 1500 h |



- | | | | | | | |
|--|--|--|--|---|---|---|
| ● 12 14
Art. 8005-045E mm 700 h
Art. 8005-145E mm 1000 h
Art. 8005-245E mm 1200 h
Art. 8005-545E mm 1500 h | ■ 12 14
Art. 8007-025E mm 700 h
Art. 8007-125E mm 1000 h
Art. 8007-225E mm 1200 h
Art. 8007-525E mm 1500 h | ■ 12
Art. 8008-125 mm 1000 h
Art. 8008-225 mm 1200 h | ■ 12
Art. 8009-125 mm 1000 h
Art. 8009-225 mm 1200 h | ■ 12 14
Art. 8010-125E mm 1000 h
Art. 8010-225E mm 1200 h | ■ 12 14
Art. 8012-125E mm 1000 h
Art. 8012-225E mm 1200 h | ■ 12 14
Art. 8015-125E mm 1000 h
Art. 8015-225E mm 1200 h |
| ● 14 16
Art. 8005-046E mm 700 h
Art. 8005-146E mm 1000 h
Art. 8005-246E mm 1200 h
Art. 8005-546E mm 1500 h | ■ 14 16
Art. 8007-026E mm 700 h
Art. 8007-126E mm 1000 h
Art. 8007-226E mm 1200 h
Art. 8007-526E mm 1500 h | ■ 14
Art. 8008-126 mm 1000 h
Art. 8008-226 mm 1200 h | ■ 14
Art. 8009-126 mm 1000 h
Art. 8009-226 mm 1200 h | ■ 14 16
Art. 8010-126E mm 1000 h
Art. 8010-226E mm 1200 h | ■ 14 16
Art. 8012-126E mm 1000 h
Art. 8012-226E mm 1200 h | ■ 14 16
Art. 8015-126E mm 1000 h
Art. 8015-226E mm 1200 h |

- | |
|--|
| ● 16 18
Art. 8005-047E mm 700 h
Art. 8005-147E mm 1000 h
Art. 8005-247E mm 1200 h
Art. 8005-547E mm 1500 h |
|--|

Su richiesta si effettuano paletti con pallina forgiata con il maglio.
Su richiesta si effettuano paletti con pallina forgiata con il maglio.





■ 12 ♀ 14
Art. 8017-125E mm 1000 h
Art. 8017-225E mm 1200 h



■ 25
Art. 8020 mm 1000 h
Art. 8022 mm 1200 h



■ 25
Art. 8020-031B mm 1000 h
Art. 8022-031B mm 1200 h



■ 12
Art. 8025 mm 1000 h
Art. 8025-225 mm 1200 h



■ 12
Art. 8025-025A mm 1000 h
Art. 8025-225A mm 1200 h



■ 12
Art. 8025-025B mm 1000 h
Art. 8025-225B mm 1200 h



● 12
Art. 8025-045 mm 1000 h
Art. 8025-245 mm 1200 h

■ 14 ♀ 16
Art. 8017-126E mm 1000 h
Art. 8017-226E mm 1200 h

■ 30
Art. 8023 mm 1000 h
Art. 8024 mm 1200 h

■ 30
Art. 8020-032B mm 1000 h
Art. 8022-032B mm 1200 h

■ 14
Art. 8027 mm 1000 h
Art. 8025-226 mm 1200 h

■ 14
Art. 8025-026A mm 1000 h
Art. 8025-226A mm 1200 h

■ 14
Art. 8025-026B mm 1000 h
Art. 8025-226B mm 1200 h

● 14
Art. 8025-046 mm 1000 h
Art. 8025-246 mm 1200 h



■ 12
Art. 8026 mm 1000 h
Art. 8026-225 mm 1200 h



■ 12
Art. 8026-025A mm 1000 h
Art. 8026-225A mm 1200 h



■ 12
Art. 8026-025B mm 1000 h
Art. 8026-225B mm 1200 h



● 12
Art. 8026-045 mm 1000 h
Art. 8026-245 mm 1200 h



■ 12
Art. 8030 mm 1000 h
Art. 8030-225 mm 1200 h



■ 12
Art. 8031 mm 1000 h
Art. 8031-225 mm 1200 h



■ 12
Art. 8040 mm 800 h
Art. 8041 mm 1000 h
Art. 8042 mm 1200 h
Art. 8043 mm 1500 h

■ 14
Art. 8028 mm 1000 h
Art. 8026-226 mm 1200 h

■ 14
Art. 8026-026A mm 1000 h
Art. 8026-226A mm 1200 h

■ 14
Art. 8026-026B mm 1000 h
Art. 8026-226B mm 1200 h

● 14
Art. 8026-046 mm 1000 h
Art. 8026-246 mm 1200 h

■ 14
Art. 8032 mm 1000 h
Art. 8030-226 mm 1200 h

■ 14
Art. 8033 mm 1000 h
Art. 8031-226 mm 1200 h

■ 14
Art. 8045 mm 800 h
Art. 8046 mm 1000 h
Art. 8047 mm 1200 h
Art. 8048 mm 1500 h

■ 16
Art. 8040-527 mm 1500 h
Art. 8040-927 mm 2000 h



■ 12
Art. 8050 mm 800 h
Art. 8051 mm 1000 h
Art. 8052 mm 1200 h
Art. 8053 mm 1500 h

■ 12
Art. 8060-025B mm 800 h
Art. 8060-125B mm 1000 h
Art. 8060-225B mm 1200 h
Art. 8060-525B mm 1500 h

● 12
Art. 8060-045 mm 800 h
Art. 8060-145 mm 1000 h
Art. 8060-245 mm 1200 h
Art. 8060-545 mm 1500 h

■ 12
Art. 8065 mm 800 h
Art. 8066 mm 1000 h
Art. 8067 mm 1200 h
Art. 8068 mm 1500 h

■ 12
Art. 8066C mm 1000 h
Art. 8067C mm 1200 h
Art. 8068C mm 1500 h

■ 12
Art. 8080 mm 800 h
Art. 8081 mm 1000 h
Art. 8082 mm 1200 h
Art. 8083 mm 1500 h

■ 12
Art. 8090-025E mm 800 h
Art. 8090-125E mm 1000 h
Art. 8090-225E mm 1200 h
Art. 8090-525E mm 1500 h

■ 14
Art. 8055 mm 800 h
Art. 8056 mm 1000 h
Art. 8057 mm 1200 h
Art. 8058 mm 1500 h

■ 14
Art. 8075 mm 800 h
Art. 8076 mm 1000 h
Art. 8077 mm 1200 h
Art. 8078 mm 1500 h

● 14
Art. 8060 mm 800 h
Art. 8061 mm 1000 h
Art. 8062 mm 1200 h
Art. 8063 mm 1500 h

■ 14
Art. 8070 mm 800 h
Art. 8071 mm 1000 h
Art. 8072 mm 1200 h
Art. 8073 mm 1500 h

■ 14
Art. 8071C mm 1000 h
Art. 8072C mm 1200 h
Art. 8073C mm 1500 h

■ 14
Art. 8085 mm 800 h
Art. 8086 mm 1000 h
Art. 8087 mm 1200 h
Art. 8088 mm 1500 h

■ 14
Art. 8090-026E mm 800 h
Art. 8090-126E mm 1000 h
Art. 8090-226E mm 1200 h
Art. 8090-526E mm 1500 h

■ 16
Art. 8050-527 mm 1500 h
Art. 8050-927 mm 2000 h

■ 16
Art. 8060-527B mm 1500 h
Art. 8060-927B mm 2000 h

● 16
Art. 8060-547 mm 1500 h
Art. 8060-947 mm 2000 h

■ 16
Art. 8060-527 mm 1500 h
Art. 8060-927 mm 2000 h

■ 16
Art. 8080-527 mm 1500 h
Art. 8080-927 mm 2000 h

■ 16
Art. 8090-527E mm 1500 h
Art. 8090-927E mm 2000 h



■ 12
Art. 8090-025BE mm 800 h
Art. 8090-125BE mm 1000 h
Art. 8090-225BE mm 1200 h
Art. 8090-525BE mm 1500 h

● 12
Art. 8090-045E mm 800 h
Art. 8090-145E mm 1000 h
Art. 8090-245E mm 1200 h
Art. 8090-545E mm 1500 h

■ 12
Art. 8090-125CE mm 1000 h
Art. 8090-225CE mm 1200 h
Art. 8090-525CE mm 1500 h

■ 12
Art. 8091-025E mm 800 h
Art. 8091-125E mm 1000 h
Art. 8091-225E mm 1200 h
Art. 8091-525E mm 1500 h

■ 12
Art. 8091-025BE mm 800 h
Art. 8091-125BE mm 1000 h
Art. 8091-225BE mm 1200 h
Art. 8091-525BE mm 1500 h

● 12
Art. 8091-045E mm 800 h
Art. 8091-145E mm 1000 h
Art. 8091-245E mm 1200 h
Art. 8091-545E mm 1500 h

■ 12
Art. 8092-025E mm 800 h
Art. 8092-125E mm 1000 h
Art. 8092-225E mm 1200 h
Art. 8092-525E mm 1500 h

■ 14
Art. 8090-026BE mm 800 h
Art. 8090-126BE mm 1000 h
Art. 8090-226BE mm 1200 h
Art. 8090-526BE mm 1500 h

● 14
Art. 8090-046E mm 800 h
Art. 8090-146E mm 1000 h
Art. 8090-246E mm 1200 h
Art. 8090-546E mm 1500 h

■ 14
Art. 8090-126CE mm 1000 h
Art. 8090-226CE mm 1200 h
Art. 8090-526CE mm 1500 h

■ 14
Art. 8091-026E mm 800 h
Art. 8091-126E mm 1000 h
Art. 8091-226E mm 1200 h
Art. 8091-526E mm 1500 h

■ 14
Art. 8091-026BE mm 800 h
Art. 8091-126BE mm 1000 h
Art. 8091-226BE mm 1200 h
Art. 8091-526BE mm 1500 h

● 14
Art. 8091-046E mm 800 h
Art. 8091-146E mm 1000 h
Art. 8091-246E mm 1200 h
Art. 8091-546E mm 1500 h

■ 14
Art. 8092-026E mm 800 h
Art. 8092-126E mm 1000 h
Art. 8092-226E mm 1200 h
Art. 8092-526E mm 1500 h

■ 16
Art. 8090-527BE mm 1500 h
Art. 8090-927BE mm 2000 h


● 16
Art. 8090-547E mm 1500 h
Art. 8090-947E mm 2000 h

■ 16
Art. 8091-527E mm 1500 h
Art. 8091-927E mm 2000 h

■ 16
Art. 8091-527BE mm 1500 h
Art. 8091-927BE mm 2000 h

● 16
Art. 8091-547E mm 1500 h
Art. 8091-947E mm 2000 h

■ 16
Art. 8092-527E mm 1500 h
Art. 8092-927E mm 2000 h



- | | | | | | | | | | | | | | |
|---|---|--|--|---|--|--|---|---|--|---|---|--|--|
| ■ 12
Art. 8092-025BE mm 800 h
Art. 8092-125BE mm 1000 h
Art. 8092-225BE mm 1200 h
Art. 8092-525BE mm 1500 h | ● 12
Art. 8092-045E mm 800 h
Art. 8092-145E mm 1000 h
Art. 8092-245E mm 1200 h
Art. 8092-545E mm 1500 h | ■ 12
Art. 8095-125 mm 1000 h
Art. 8095-525 mm 1500 h | ■ 12
Art. 8098-125 mm 1000 h
Art. 8098-225 mm 1200 h | ■ 14
Art. 8100 mm 1000 h
Art. 8101 mm 1200 h
Art. 8102 mm 1500 h | ■ 14
Art. 8110-226 mm 1200 h
Art. 8110-526 mm 1500 h | ■ 14
Art. 8110-226B mm 1200 h
Art. 8110-526B mm 1500 h | ■ 16
Art. 8092-026BE mm 800 h
Art. 8092-126BE mm 1000 h
Art. 8092-226BE mm 1200 h
Art. 8092-526BE mm 1500 h | ● 14
Art. 8092-046E mm 800 h
Art. 8092-146E mm 1000 h
Art. 8092-246E mm 1200 h
Art. 8092-546E mm 1500 h | ● 12
Art. 8095-145 mm 1000 h
Art. 8095-545 mm 1500 h | ■ 14
Art. 8098-126 mm 1000 h
Art. 8098-226 mm 1200 h
Art. 8098-526 mm 1500 h | ■ 16
Art. 8105 mm 1200 h
Art. 8106 mm 1500 h
Art. 8100-927 mm 2000 h | ■ 16
Art. 8110-527 mm 1500 h
Art. 8110-927 mm 2000 h | ■ 16
Art. 8110-527B mm 1500 h
Art. 8110-927B mm 2000 h |
| ■ 16
Art. 8092-527BE mm 1500 h
Art. 8092-927BE mm 2000 h | ● 16
Art. 8092-547E mm 1500 h
Art. 8092-947E mm 2000 h | | ■ 16
Art. 8098-527 mm 1500 h
Art. 8098-927 mm 2000 h | | | | | | | | | | |



- | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| ■ 25
Art. 8110-531 mm 1500 h
Art. 8110-831 mm 1800 h | ■ 12
Art. 8120-125 mm 1000 h
Art. 8120-125B mm 1000 h
Art. 8120-225 mm 1200 h
Art. 8120-225B mm 1200 h | ■ 12
Art. 8121-125 mm 1000 h
Art. 8121-125B mm 1000 h
Art. 8121-225 mm 1200 h
Art. 8121-225B mm 1200 h | ■ 12
Art. 8123-125 mm 1000 h
Art. 8123-125B mm 1000 h
Art. 8123-225 mm 1200 h
Art. 8123-225B mm 1200 h | ■ 12
Art. 8124-125 mm 1000 h
Art. 8124-125B mm 1000 h
Art. 8124-225 mm 1200 h
Art. 8124-225B mm 1200 h | ● 12
Art. 8130 mm 1200 h
Art. 8130-545 mm 1500 h | ■ 12
Art. 8135 mm 1200 h
Art. 8130-525 mm 1500 h | ■ 25
Art. 8110-531B mm 1500 h
Art. 8110-831B mm 1800 h | ■ 14
Art. 8120-526 mm 1500 h
Art. 8120-526B mm 1500 h
Art. 8120-926 mm 2000 h
Art. 8120-926B mm 2000 h | ■ 14
Art. 8121-526 mm 1500 h
Art. 8121-526B mm 1500 h
Art. 8121-926 mm 2000 h
Art. 8121-926B mm 2000 h | ■ 14
Art. 8123-526 mm 1500 h
Art. 8123-526B mm 1500 h
Art. 8123-926 mm 2000 h
Art. 8123-926B mm 2000 h | ■ 14
Art. 8124-526 mm 1500 h
Art. 8124-526B mm 1500 h
Art. 8124-926 mm 2000 h
Art. 8124-926B mm 2000 h | ● 14
Art. 8131 mm 1200 h
Art. 8130-546 mm 1500 h | ■ 14
Art. 8136 mm 1200 h
Art. 8130-526 mm 1500 h | ● 16
Art. 8132 mm 1200 h
Art. 8130-547 mm 1500 h
Art. 8130-947 mm 2000 h | ■ 16
Art. 8137 mm 1200 h
Art. 8130-527 mm 1500 h
Art. 8130-927 mm 2000 h |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|



■ 14

Art. 8140 mm 1200 h
Art. 8142 ◀ mm 1200 h
Art. 8140-526 mm 1500 h
Art. 8140-526B ◀ mm 1500 h

■ 16

Art. 8140-527 mm 1500 h
Art. 8140-527B ◀ mm 1500 h
Art. 8140-927 mm 2000 h
Art. 8140-927B ◀ mm 2000 h



■ 12

Art. 8146-125 mm 1000 h
Art. 8146-225 mm 1200 h
Art. 8146-525 mm 1500 h

■ 14

Art. 8146-126 mm 1000 h
Art. 8146-226 mm 1200 h
Art. 8146-526 mm 1500 h



■ 12

Art. 8147-125 mm 1000 h
Art. 8147-225 mm 1200 h
Art. 8147-525 mm 1500 h

■ 14

Art. 8147-126 mm 1000 h
Art. 8147-226 mm 1200 h
Art. 8147-526 mm 1500 h



■ 12

Art. 8148-125 mm 1000 h
Art. 8148-225 mm 1200 h
Art. 8148-525 mm 1500 h

■ 14

Art. 8148-126 mm 1000 h
Art. 8148-226 mm 1200 h
Art. 8148-526 mm 1500 h



■ 12

Art. 8149-125 mm 1000 h
Art. 8149-225 mm 1200 h
Art. 8149-525 mm 1500 h

■ 14

Art. 8149-126 mm 1000 h
Art. 8149-226 mm 1200 h
Art. 8149-526 mm 1500 h



mm 30 x 1000 h

Art. 8205 ■ 12
Art. 8206 ■ 14



mm 30 x 1000 h

Art. 8205-025 ■ 12
Art. 8205-026 ■ 14



mm 30 x 1000 h

Art. 8205-045 ● 12
Art. 8205-046 ● 14



mm 30 x 1000 h

Art. 8210 ■ 12
Art. 8211 ■ 14



mm 30 x 1000 h

Art. 8210-025 ■ 12
Art. 8210-026 ■ 14



mm 30 x 1000 h

Art. 8210-045 ● 12
Art. 8210-046 ● 14



mm 130 x 1000 h

Art. 8214-025 ■ 12 x 6
 ■ 12



mm 140 x 1000 h

Art. 8215 ■ 12 x 6
 ■ 12
 ■ 12 x 6
 ■ 14



mm 210 x 1000 h
Art. 8220 ■ 12 x 6
■ 12



mm 110 x 1000 h
Art. 8225 ■ 12 x 6
■ 12
Art. 8226 ■ 12 x 6
■ 14



mm 210 x 1000 h
Art. 8230-025 ■ 12 x 6
■ 12
Art. 8230-026 ■ 12 x 6
■ 14



mm 60 x 1000 h
Art. 8235-025 ■ 12
Art. 8235-026 ■ 14



mm 95 x 1000 h
Art. 8250 ■ 12



mm Ø 45 x 1000 h
Art. 8312 ● 14



■ 14
Art. 8430 mm 1000 h
Art. 8431 mm 1200 h
Art. 8430-526 mm 1500 h



■ 14
Art. 8440 mm 1000 h
Art. 8441 mm 1200 h
Art. 8440-526 mm 1500 h



■ 14
Art. 8435 mm 1000 h
Art. 8436 mm 1200 h
Art. 8430-526B mm 1500 h



■ 14
Art. 8445 mm 1000 h
Art. 8446 mm 1200 h
Art. 8440-526B mm 1500 h

